

Test Report

No. SHAHG2205674002

Date: 17 Jun 2022

Page 1 of 5

Client Name : SHANGHAIAILINKANDCO.,LTD

Client Address : RM804, NO1228,ZHENNANROAD,PUTUODISTRICT,SHANGHAI,CHINA

Sample Name : BUTTERBEERMUGS
 PO No. : 40513+40508
 Manufacturer : LYONSPRESENTATIONS
 Country of Origin : CN
 Country of Destination : USA/UK
 The above sample(s) and information were provided by the client.

SGS Job No. : SHHL2205016987CW - SH
 Date of Sample Received : 27 May 2022
 Testing Period : 27 May 2022 - 16 Jun 2022
 Test Requested : Selected test(s) as requested by the client.
 Test Method(s) : Please refer to next page(s).
 Test Result(s) : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. 938430)-Leachable Lead and Cadmium	PASS
US FDA CPG Sec.545.400 and CPG Sec 545.450 -Leachable lead and cadmium	PASS
US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. CGC-04-436429)- Lead and Cadmium	PASS

Signed for and on behalf of
 SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jessica Pan.

Jessica Pan
 Approved Signatory

scan to see the report



SHAHG2205674002



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

Test Report

No. SHAHG2205674002

Date: 17 Jun 2022

Page 2 of 5

Test Result(s) :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	SHA22-056740.001	Transparent glass cup with colorful (inner)	Glass
SN2	SHA22-056740.002	Transparent glass cup with colorful (inner)	Glass

(Receiving date: JUN 13,2022)

Remarks :

- (1) mg/dm² = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) °C= degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected (< MDL)

US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. 938430)-Leachable Lead and Cadmium

Test Method : With reference to AOAC 18th Ed. (2005) Section 973.32, analysis was performed by AAS.

Sample 001 Internal Surface (Small Hollowware)

	Extract Volume (mL)	Depth (mm)
1	460	135
2	460	135
3	460	135
4	460	135
5	460	135
6	460	135
7	460	135
8	460	135
9	460	135
10	460	135
11	460	135
12	460	135



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

Test Report

No. SHAHG2205674002

Date: 17 Jun 2022

Page 3 of 5

	<u>Leachable Lead</u> ($\mu\text{g/mL}$)	<u>Leachable Cad-</u> <u>mium ($\mu\text{g/mL}$)</u>
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
7	<0.05	<0.01
8	<0.05	<0.01
9	<0.05	<0.01
10	<0.05	<0.01
11	<0.05	<0.01
12	<0.05	<0.01
Average	<0.05	<0.01
Limit	0.1	0.189

Notes :

(1) < = less than

(2) $\mu\text{g/mL}$ = microgram per milliliter

(3) The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

US FDA CPG Sec.545.400 and CPG Sec 545.450 -Leachable lead and cadmium

Test Method : With reference to AOAC 18th Ed. (2005) Section 973.32, analysis was performed by AAS.

Sample 001 Cup and mug
PASS

	<u>Extract Volume</u> (mL)	<u>Depth</u> (mm)
1	460	135
2	460	135
3	460	135
4	460	135
5	460	135
6	460	135



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services (Shanghai) Co., Ltd.
Testing Center - China (Shanghai) Co., Ltd.

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

Test Report

No. SHAHG2205674002

Date: 17 Jun 2022

Page 4 of 5

	<u>Leachable Lead</u> ($\mu\text{g/mL}$)	<u>Leachable Cad-</u> <u>mium ($\mu\text{g/mL}$)</u>
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
Limit	0.5	0.5

Notes :

Flatware – Articles which cannot be filled and articles which can be filled, the internal depth of which does not exceed 25 mm.

Small Hollowware – Articles which can be filled with the internal depth of which exceed 25 mm and capacity of less than 1.1 liter.

Large Hollowware – Articles which can be filled with the internal depth of which exceed 25 mm and capacity of 1.1 liter or more.

US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. CGC-04-436429)- Lead and Cadmium

Test Method : With reference to NIOSH 9100, Analysis was performed by ICP-MS.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Lead content (surface)	1	μg	0.5	ND
Cadmium content (surface)	1	μg	0.5	ND

Notes :

(1) The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 tHL (86-21) 61402594 fHL (86-21) 61156899 e sgs.china@sgs.com

Test Report

No. SHAHG2205674002

Date: 17 Jun 2022

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



SGS-CSTC (Shanghai) Technical Services (Shanghai) Co., Ltd.
Testing Center (China) Co., Ltd.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)