

MTW



**Max Toughness
Withstand More**


以坚韧
行更远

GROUSER BAR

GROUSER BAR



- Through hardened alloy Grouser Bar HRC 45-50
- Great impact resistance and wear life
- Alternative to Track Shoe replacement
- Tungsten Carbide impregnation is available
- Cut to length or long profile is available



Part Number	H	W	W1	W2	KG/M
MGB0198	22.0	14.0	6.3	9.5	1.98
MGB0225	18.0	19.0	8.0	15.0	2.25
MGB0257	25.4	15.9	6.4	11.1	2.57
MGB0280	25.4	17.0	6.0	13.0	2.80
MGB0335	21.0	24.0	10.0	20.0	3.35
MGB0339	34.9	15.9	6.4	9.5	3.39
MGB0350	28.6	19.0	9.5	12.7	3.50
MGB0398	31.8	19.0	9.5	14.3	3.98
MGB0423	38.1	19.0	7.9	9.5	4.23
MGB0431	35.0	19.0	9.5	13.5	4.31
MGB0528	38.1	22.2	9.5	14.3	5.28
MGB0545	38.1	23.0	10.0	14.3	5.45
MGB0582	41.3	23.0	10.0	13.5	5.82
MGB0611	38.1	25.4	10.0	17.0	6.11
MGB0675	44.5	25.4	9.5	14.3	6.75
MGB0704	24.0	42.0	33.0	33.0	7.04
MGB0724	38.1	28.6	6.4	25.4	7.24
MGB0794	44.5	28.6	9.5	19.0	7.94
MGB0820	52.4	25.4	9.5	15.8	8.20
MGB0945	44.5	31.8	12.0	25.4	9.45
MGB1007	50.8	28.6	7.9	25.4	10.07
MGB1034	50.8	30.5	10.6	24.0	10.34
MGB1086	60.3	28.6	9.5	19.0	10.86
MGB1211	50.8	34.9	15.0	28.5	12.11
MGB1297	60.3	34.9	12.0	22.0	12.97
MGB1359	60.3	34.9	12.7	25.4	13.59
MGB1624	65.0	37.0	15.0	29.0	16.24
MGB1701	68.0	37.0	15.0	29.0	17.01
MGB1875	73.0	40.0	16.0	29.0	18.75
MGB2085	76.0	43.0	14.0	30.0	20.85
MGB2110	76.0	43.0	16.0	32.0	21.10
MGB2130	82.6	41.3	12.7	27.0	21.30
MGB2370	89.0	43.0	14.0	26.9	23.70
MGB2505	89.0	43.5	16.0	32.0	25.05
MGB3225	108.0	44.5	12.7	35.0	32.25

*For parts not listed on above page, please send to sales@mtw-blades.com for more information

*All identities and trademarks referred to in this brochure are only for the purpose of identification, comparison and description.

ICE LUG



- Engineered for flawless performance in low temperature.
- Guaranteed connection integrity where standard lugs fail.
- Arctic-grade durability resists ice, frost & corrosion.
- Trusted by cold storage & arctic operations worldwide.

Part Number	Reference	H	W	W1	W2	L	Weight	KG/M
MGB0257-76.2	L3	25.4	15.9	6.4	11.1	76.20	0.20	2.57
MGB0257-101.6	L4	25.4	15.9	6.4	11.1	101.60	0.26	2.57
MGB0339-76.2	A3	35.0	15.9	6.4	9.5	76.20	0.26	3.39
MGB0339-101.6	A4	35.0	15.9	6.4	9.5	101.60	0.35	3.39
MGB0398-76.2	K3	31.8	19.0	9.5	14.3	76.20	0.30	3.98
MGB0398-101.6	K4	31.8	19.0	9.5	14.3	101.60	0.40	3.98
MGB0423-76.2	E3	38.1	19.0	7.9	9.5	76.20	0.32	4.23
MGB0423-101.6	E4	38.1	19.0	7.9	9.5	101.60	0.43	4.23
MGB0528-76.2	C3	38.1	22.2	9.5	14.3	76.20	0.40	5.28
MGB0528-101.6	C4	38.1	22.2	9.5	14.3	101.60	0.54	5.28
MGB0675-101.6	G4	44.5	25.4	9.5	14.3	101.60	0.69	6.75
MGB0675-76.2	G3	44.5	25.4	9.5	14.3	76.20	0.51	6.75
MGB0724-101.6	T4	38.1	28.6	6.4	25.4	101.60	0.74	7.24
MGB0820-76.2	H3	52.4	25.4	9.5	15.9	76.20	0.62	8.20
MGB0820-101.6	H4	52.4	25.4	9.5	15.9	101.60	0.83	8.20
MGB1007-101.6	S4	50.8	28.6	7.9	25.4	101.60	1.02	10.07
MGB1007-107.95	S4 1/4	50.8	28.6	7.9	25.4	107.95	1.09	10.07
MGB1086-101.6	J4	60.3	28.6	9.5	19.0	101.60	1.10	10.86
MGB1086-76.2	J3	60.3	28.6	9.5	19.0	76.20	0.83	10.86
MGB1365-101.6	M4	60.3	34.9	12.7	25.4	101.60	1.39	13.65

*For parts not listed on above page, please send to sales@mtw-blades.com for more information

*All identities and trademarks referred to in this brochure are only for the purpose of identification, comparison and description.



MTW

苏州明特威机械设备有限公司
MTW WEAR PARTS (SUZHOU) CO., LTD.



苏州市高新区科鸿路1号金融小镇118幢
BUILDING 118, FINANCE TOWN, 1 KEHONG RD, SUZHOU, CHINA



sales@mtw-blades.com



www.mtw-blades.com

