


opk PERFECT POCKET DOOR

Content

opk PERFECT POCKET DOOR	125-146
FG Kit Configuration	127-128
W Kit Configuration	129-130
FW Kit Configuration	131-132
FD Kit Configuration	133-134
FG/W/FW/FD POCKET ACCESSORIES DOOR	135-138
Tracks, Accessories	139-140
Door, Accessories	141-146





opk PERFECT FG POCKET DOOR



SURFACE MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit		-----	1
-----------------------------	--	-------	---

CONCEALED MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit		-----	1
-----------------------------	--	-------	---

opk PERFECT FG POCKET DOOR



SURFACE MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit		-----	1
----------------------	--	-------	---

CONCEALED MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit		-----	1
----------------------	--	-------	---

opk PERFECT W POCKET DOOR



SURFACE MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit			-----	1

CONCEALED MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit			-----	1

opk PERFECT W POCKET DOOR



SURFACE MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit			-----	1

CONCEALED MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit			-----	1

opk PERFECT FW POCKET DOOR



SURFACE MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit		-----	1
-----------------------------	--	-------	---

CONCEALED MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit		-----	1
-----------------------------	--	-------	---

opk PERFECT FW POCKET DOOR



SURFACE MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit		-----	1
----------------------	--	-------	---

CONCEALED MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit		-----	1
----------------------	--	-------	---

opk PERFECT **FD** POCKET DOOR



SURFACE MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit		-----	1
-----------------------------	--	-------	---

CONCEALED MOUNTING

Non-Float-Plus Start

Kit Configuration



Non-Float-Plus Start Kit		-----	1
-----------------------------	--	-------	---

opk PERFECT **FD** POCKET DOOR



SURFACE MOUNTING

Float-Plus Start Set

Kit Configuration



Float-Plus Start Kit		-----	1
----------------------	--	-------	---

CONCEALED MOUNTING

Float-Plus Start Set

Kit Configuration




Float-Plus Start Kit		-----	1
----------------------	--	-------	---

**opk PERFECT FG POCKET
ACCESSORIES DOOR**




Non-Float-Plus Start

Kit Configuration



Float-Plus Start Set

Kit Configuration




**opk PERFECT W POCKET
ACCESSORIES DOOR**




Non-Float-Plus Start

Kit Configuration



Float-Plus Start Set

Kit Configuration



opk PERFECT FW POCKET
ACCESSORIES DOOR



Non-Float-Plus Start

Kit Configuration



opk Perfect FW Pocket Door Kit			-----	1

opk PERFECT FD POCKET
ACCESSORIES DOOR



Non-Float-Plus Start

Kit Configuration



opk Perfect FD Pocket Door Kit			-----	1

Float-Plus Start Set

Kit Configuration



opk Perfect FW Pocket Door Kit			-----	1

Float-Plus Start Set

Kit Configuration





opk Perfect FD Pocket Door Kit			-----	1

opk PERFECT POCKET
DOOR

SURFACE MOUNTING

Tracks, Accessories





Upper Track		Anodized aluminium	6000mm	OPK-A101
Track Bottom Cover--Side (40 & 45 Door Thickness)		Anodized aluminium	6000mm	OPK-A310
Track Cover For Surface Mounting		Anodized aluminium	6000mm	OPK-A321
Track Shock-Absorption Rubber Strip		Rubber	600m/Roll	OPK-A404
Track Cover Clip		Plastic	1pc Every 300mm	OPK-A502

opk PERFECT POCKET
DOOR

CONCEALED MOUNTING

Tracks, Accessories



Upper Track		Anodized aluminium	6000mm	OPK-A101
Track Cover For Concealed Mounting		Anodized aluminium	6000mm	OPK-A366
Track Shock-Absorption Rubber Strip		Rubber	600m/Roll	OPK-A404
Track Cover Clip		Plastic	1pc Every 300mm	OPK-A502

opk PERFECT FG POCKET DOOR



Door, Accessories



Up/Bottom Frame	 0.76kg/m	Anodized aluminium	6000mm	OPK-A201-40
Internal Vertical Frame	 0.55kg/m	Anodized aluminium	6000mm	OPK-A202-40
Vertical Frame	 0.28kg/m	Anodized aluminium	6000mm	OPK-A203-40
Rubber Strip For 8 mm Glass		PVC	3500mm	OPK-A408
Rubber Strip For 9 mm Glass		PVC	3500mm	OPK-A409
Rubber Strip For 10 mm Glass		PVC	3500mm	OPK-A410
Internal Hexagon Self-Tapping Screw - M4X18	 8 pcs Each Door	Nickel Plated	-	OPK-A553

or

ASSEMBLY KIT

COMPLICATED?
THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drilling pattern to set the drilling points in the profiles.
04. Drill to make the holes in the profiles.

opk PERFECT W SINGLE POCKET DOOR



Door, Accessories







Up/Bottom Frame	 0.67kg/m	Anodized aluminium	6000mm	OPK-A248-35
Self-Tapping Screw - ST4*50		Nickel Plated	-	105605
Wooden Door End Cap	 4 pcs Each Door	POM	-	TN1577A

opk PERFECT FW POCKET DOOR



Door, Accessories



Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A276-46
Vertical Frame		Anodized aluminium	6000mm	OPK-A2101-46
Vertical Frame Cover		Anodized aluminium	6000mm	OPK-A2102-46
Vertical Frame Accessories		Anodized aluminium	6000mm	OPK-A278-46
Weather-Strip		-	500m/Roll	OPK-A403
Internal Hexagon Self-Tapping Screw - M4X18	 Nickel Plated	-		OPK-A553
1.8x3.3 Rubber Strip		Rubber	2000m/Roll	OPK-A402





ASSEMBLY KIT
COMPLICATED?
THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drill to make the holes in the profiles.

opk PERFECT **FD** SINGLE POCKET DOOR

Door, Accessories

Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A276-46
Vertical Frame		Anodized aluminium	6000mm	OPK-A2122-45
Vertical Frame Cover		Anodized aluminium	6000mm	OPK-A2102-46
Vertical Frame Decorative Strip		Anodized aluminium	6000mm	OPK-A286-46
6x20mm Alu-tube for Desiccant		Anodized aluminium	6000mm	OPK-A437
Weather-Strip		-	500m/Roll	OPK-A403
Internal Hexagon Self-Tapping Screw - M4X18	  Nickel Plated	-		OPK-A553
1.8x3.3 Rubber Strip		Rubber	2000m/Roll	OPK-A402

ASSEMBLY KIT
COMPLICATED?
THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drill to make the holes in the profiles.