


opk PERFECT FG ECCENTRIC FOLDING DOOR


Content

opk Perfect FG Eccentric Folding Door	179-186
FG Fitting Configuration	179-180
Track Configuration	181
Door Frame Configuration	182
Door Opening Cover Configuration	182
Tracks, Accessories	183-184
Door, Accessories	185-186
Door Opening Cover, Accessories	186



opk PERFECT FG ECCENTRIC
FOLDING DOOR

Left Opening Door




Fitting Configuration



Left Opening Eccentric Folding Sliding Door Basic Set		-----	1	1	1	1
Left Opening Eccentric Folding Sliding Door Double Door Set		-----	0	1	2	3
Eccentric Folding Sliding Door Lock Set		-----	1	2	3	4

opk PERFECT FG ECCENTRIC
FOLDING DOOR

Right Opening Door



Fitting Configuration



Right Opening Eccentric Folding Sliding Door Basic Set		-----	1	1	1	1
Right Opening Eccentric Folding Sliding Door Double Door Set		-----	0	1	2	3
Eccentric Folding Sliding Door Lock Set		-----	1	2	3	4

opk PERFECT FG ECCENTRIC
FOLDING DOOR



SURFACE MOUNTING

Track Configuration



Track Kit Single Door		2500mm	-----	1	1	1	1
		3000mm	-----				
		4000mm	-----				
		6000mm	-----				

opk PERFECT FG ECCENTRIC
FOLDING DOOR



CONCEALED MOUNTING

Track Configuration



Track Kit Single Door		2500mm	CN123493A	1	1	1	1
		3000mm	CN123493B				
		4000mm	CN123493C				
		6000mm	CN12349D				

opk PERFECT FG ECCENTRIC
FOLDING DOOR



Door Frame Configuration



Door Kit Side Door		3000mm	2	2	2	2
Door Kit Middle Door		3000mm	0	2	4	6

opk PERFECT FG ECCENTRIC
FOLDING DOOR



Door Opening Cover Configuration



Door Opening Cover Profile Set		2500mm	-----	2	2	2	2
		3000mm	-----				
		4000mm	-----				
		6000mm	-----				




opk PERFECT **FG** ECCENTRIC
FOLDING DOOR



SURFACE MOUNTING

Tracks, Accessories



Upper Track		Anodized aluminium	6000mm	OPK-A101
Track Bottom Cover--Side (40 & 45 Door Thickness)		Anodized aluminium	6000mm	OPK-A312
Track Cover For Surface Mounting		Anodized aluminium	6000mm	OPK-A375
Track Shock-Absorption Rubber Strip		Rubber	600m/Roll	OPK-A404
Track Cover Clip		Plastic	1pc Every 300mm	OPK-A502



opk PERFECT **FG** ECCENTRIC
FOLDING DOOR



CONCEALED MOUNTING


Tracks, Accessories











Upper Track		Anodized aluminium	6000mm	OPK-A101
Track Cover For Concealed Mounting		Anodized aluminium	6000mm	-----
Track Shock-Absorption Rubber Strip		Rubber	600m/Roll	OPK-A404
Track Cover Clip		Plastic	1pc Every 300mm	OPK-A502

opk PERFECT FG ECCENTRIC
FOLDING DOOR

Door, Accessories



Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A201-40
Internal Vertical Frame		Anodized aluminium	6000mm	OPK-A202-40
Vertical Frame		Anodized aluminium	6000mm	OPK-A203-40
Vertical Frame		Anodized aluminium	6000mm	OPK-A224
Rubber Strip For 8 mm Glass		PVC	3500mm	OPK-A408
Rubber Strip For 9 mm Glass		PVC	3500mm	OPK-A409
Rubber Strip For 10 mm Glass		PVC	3500mm	OPK-A410
Vertical Frame Cover Rubber Strip		Rubber	550m/Roll	OPK-A419
Internal Hexagon Self-Tapping Screw - M4X18	 8 pcs Each Door	Nickel Plated	-	OPK-A553

ASSEMBLY KIT
COMPLICATED?
THAT WAS YESTERDAY.





01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drilling pattern to set the drilling points in the profiles.
04. Drill to make the holes in the profiles.

opk PERFECT FG ECCENTRIC
FOLDING DOOR

Door Opening Cover, Accessories



Door Opening Cover		Anodized aluminium	6000mm	OPK-A374
Wall Vertical Cover		Anodized aluminium	6000mm	OPK-A350
Rubber Strip		Rubber	140m/Roll	OPK-A426