





opk Perfect Center Folding Door Kit -Installation Instructions


Left Opening






Right Opening



Surface Mounting




Concealed Mounting



Installation Positions of Handles and Handle Locks

Odd-numbered Door Panel






Processing Parameters

Surface Mounting

 Please cut it to the appropriate length before processing




Left /Right Opening
Equal-width Door Vertical
Door Opening Cover



Concealed Mounting


 Please cut it to the appropriate length before processing

Left /Right Opening
Equal-width Door Vertical
Door Opening Cover





Processing Parameters


Vertical Frame Cover



Vertical Door Opening Cover





Right Opening





Left Opening

Processing Parameters

40 Vertical Frame





40 Vertical Frame





Processing Parameters

 Please cut it to the appropriate length before processing

Vertical Frame Cover





Up/Bottom Vertical Frame




 Please cut it to the appropriate length before processing


Customer Processing



1-1 Spliced Profiles Surface Mounting




1-2 Install Track



2 Adjust Upper/Bottom Swing Arm

! Align swing arm and positioning block scales with door width



2 Pull out the swing arm
Adjust the scale

1 Loosen

2.5mm

3 Fixing


4 Loosen

3mm

5 Pull out the positioning block to adjust the scale

6 Fixing


3 Install Upper/Bottom Swing Arms




4 Install Swing Arm Link



Fixing all screws,
secure connectors
& sync rod with
same direction




2 Fixing




O

1




P

3




O



4 Fixing


3mm

5




6


Fixing



2.5mm




7




8

Fixing




2.5mm

5 Disassemble the Upper Rollers




6 Install the Upper Rollers

⚠ For left opening door, reverse top roller direction




7 Install Door

 Please refer to the door body production manual for detailed installation



7-1 Install Door

 Please refer to the door body production manual for detailed installation















8 Install the Door Opening Accessories

Right Opening Door

Indoor

Door Panel 1 Door Panel 2 Door Panel 3

Outdoor



⚠ The handle should face upwards








Install the Door Opening Accessories

Left Opening Door





Indoor

Door Panel 3 Door Panel 2 Door Panel 1


Outdoor





9 Adjust the Swing Arm




! Follow the directions shown to install the vertical frame cover





10 Install Vertical Door Opening Cover




11-1 Install Door Opening




11-2 Install Door Opening



11-3 Install Door Opening



12 Install Vertical Door Opening Cover



13 Install Damping

