

潜艇4号 SUBMARINE 4

产品特点:

- 嵌入式结构设计 (上下轮通用);
- 阻尼自动挂钩设计, 脱钩自动复位功能;
- 弹性锁紧装置, 安装更简便;
- 高度差浮动功能, 滑动更平稳顺畅;
- 采用高精级滑轮, 承重好、顺滑、静音、耐用。

Product Features:


- Embedded structure design for both up and bottom roller.
- Damper automatic hook design, Automatic reset when out of hook.
- Elastic locking device, easier installation.
- Height difference floating function, sliding more stable and smooth.
- High precision grade roller, stable, smooth and quiet sliding, long service time.

技术概要:

- 适用于: 单扇和双扇木质推拉门
- 调节性能: 门扇安装高度可调
- 门重: 单扇门 $\leq 50\text{kg}$

Technical Points:

- **Application:** Single and double wood sliding door
- **Adjustment performance:** Door panel installation height is adjustable
- **Door Weight:** single door $\leq 50\text{kg}$



潜艇4号(普通单轨)套装

SUBMARINE 4 (SINGLE TRACK) COMPLETE SET

5-50kg

产品描述 Product Description	类型 Type	门重(kg) Door Weight (kg)	套装型号 Set Model
2门不带阻尼 2 Doors Without Damping	—	5-50	CJ112154A
3门不带阻尼 3 Doors Without Damping	—	5-50	CJ112155A

标准配置

STANDARD CONFIGURATION

配件描述 Fitting Description	2门不带阻尼标准配置 2 Doors Without Damping	3门不带阻尼标准配置 3 Doors Without Damping
上下轮 Upper & Bottom Roller	CJ212333A	8
限位件 Stopper	TJ069A	4
上下轨(银白) Upper & Bottom Track (Silver)	XJA185CB	4条 × 2米/条 4pcs × 2m/pc
GB/ST4.2 × 16十字槽沉头自攻钉 GB/ST4.2 × 16 Cross Recess Countersunk head Self-drilling Screw		32
2.0毫米内六角扳手 2.0mm Allen Wrench		1

订购说明: 下单时请注明套装型号或详细描述产品名称以及数量, 如“CJ112154A × 20套”或“潜艇4号普通单轨2门20套”。
Ordering instructions: When place an order, please indicate the suit type or detailed product name and quantity, such as “CJ112156A × 20sets” or “SUBMARINE 4 SINGLE TRACK 2 doors 20 sets”

潜艇4号(阻尼单轨01)套装
SUBMARINE 4 (SINGLE TRACK FOR SOFT CLOSE 01)
COMPLETE SET



产品描述 Product Description		类型 Type	门重(kg) Door Weight (kg)	套装型号 Set Model
2门带阻尼 2 Doors With Damping		轻型 Light-duty	5-15	CJ112156A
		通用型 Normal	15-30	CJ112156B
		重型 Heavy-duty	30-50	CJ112156C
3门带阻尼 3 Doors With Damping		轻型 Light-duty	5-15	CJ112157A
		通用型 Normal	15-30	CJ112157B
		重型 Heavy-duty	30-50	CJ112157C

标准配置
STANDARD CONFIGURATION

配件描述 Fitting Description				2门带阻尼标准配置 2 Doors With Damping	3门带阻尼标准配置 3 Doors With Damping
上下轮 Upper & Bottom Roller		CJ212333A		8	12
缓冲器 Buffer		轻型 Light-duty	TN223A	4	4
		通用型 Normal	TN223B		
		重型 Heavy-duty	TN223C		
轨道堵头 Track plug		TN274A		8	8
上下轨(银白) Upper & Bottom Track(Silver)		XJA132CB		4条×2米/条 4pcs×2m/pc	4条×3米/条 4pcs×3m/pc
GB/ST4.2×16十字槽沉头自攻钉 GB/ST4.2×16 Cross Recess Countersunk head Self-drilling Screw				32	48
2.5毫米内六角扳手 2.5mm Allen Wrench				1	1

订购说明: 下单时请注明套装型号或详细描述产品名称以及数量, 如“CJ112156A×20套”或“潜艇4号(阻尼单轨01)轻型2门20套”。
 Ordering instructions: When place an order, please indicate the suit type or detailed product name and quantity, such as “CJ112156A×20sets” or “SUBMARINE 4 (SINGLE TRACK FOR SOFT CLOSE 01) light-duty 2 doors 20 sets”

潜艇4号(阻尼单轨02)套装
SUBMARINE 4 (SINGLE TRACK FOR SOFT CLOSE 02)
COMPLETE SET



产品描述 Product Description	类型 Type	门重(kg) Door Weight (kg)	套装型号 Set Model
2门带阻尼 2 Doors With Damping	轻型 Light-duty	5-15	CJ112228A
	通用型 Normal	15-30	CJ112228B
	重型 Heavy-duty	30-50	CJ112228C
3门带阻尼 3 Doors With Damping	轻型 Light-duty	5-15	CJ112229A
	通用型 Normal	15-30	CJ112229B
	重型 Heavy-duty	30-50	CJ112229C

标准配置
STANDARD CONFIGURATION

配件描述 Fitting Description	2门带阻尼标准配置 2 Doors With Damping	3门带阻尼标准配置 3 Doors With Damping
上下轮 Upper & Bottom Roller	8	12
缓冲器 Buffer	4	4
轨道堵头 Track plug	4	4
上下轨(银白) Upper & Bottom Track (Silver)	2条 × 2米/条 2pcs × 2m/pc	2条 × 3米/条 2pcs × 3m/pc
上下轨(银白) Upper & Bottom Track (Silver)	2条 × 2米/条 2pcs × 2m/pc	2条 × 3米/条 2pcs × 3m/pc
GB/ST4.2 × 16十字槽沉头自攻钉 GB/ST4.2 × 16 Cross Recess Countersunk head Self-drilling Screw	32	48
2.5毫米内六角扳手 2.5mm Allen Wrench	1	1

订购说明: 下单时请注明套装型号或详细描述产品名称以及数量, 如“CJ112156A × 20套”或“潜艇4号(阻尼单轨02)轻型2门20套”。
 Ordering instructions: When place an order, please indicate the suit type or detailed product name and quantity, such as “CJ112156A × 20sets” or “SUBMARINE 4 (SINGLE TRACK FOR SOFT CLOSE 02) light-duty 2 doors 20 sets”

潜艇4号(双轨道18mm)套装







SUBMARINE 4 (DOUBLE TRACK FOR 18mm) COMPLETE SET



产品描述 Product Description	类型 Type	门重(kg) Door Weight (kg)	套装型号 Set Model
2门带阻尼 2 Doors With Damping	轻型 Light-duty	5-15	CJ112158A
	通用型 Normal	15-30	CJ112158B
	重型 Heavy-duty	30-50	CJ112158C
3门带阻尼 3 Doors With Damping	轻型 Light-duty	5-15	CJ112159A
	通用型 Normal	15-30	CJ112159B
	重型 Heavy-duty	30-50	CJ112159C

标准配置

STANDARD CONFIGURATION

配件描述 Fitting Description	2门带阻尼标准配置 2 Doors With Damping	3门带阻尼标准配置 3 Doors With Damping	
上下轮 Upper & Bottom Roller	 CJ212333A	8	12
缓冲器 Buffer	 轻型 Light-duty TN223A 通用型 Normal TN223B 重型 Heavy-duty TN223C	4	4
上轨道(银白) Upper Track (Silver)	 XJA158CB	1条×2米/条 1pcs×2m/pc	1条×3米/条 1pcs×3m/pc
下轨道(银白) Under Track (Silver)	 XJA184CB	1条×2米/条 1pcs×2m/pc	1条×3米/条 1pcs×3m/pc
GB/ST4.2×16十字槽沉头自攻钉 GB/ST4.2×16 Cross Recess Countersunk head Self-drilling Screw		32	48
2.5毫米内六角扳手 2.5mm Allen Wrench		1	1

订购说明: 下单时请注明套装型号或详细描述产品名称以及数量, 如“CJ112158A×20套”或“潜艇4号(双轨道18mm)轻型2门20套”。
Ordering instructions: When place an order, please indicate the suit type or detailed product name and quantity, such as “CJ112158A×20sets” or “SUBMARINE 4 (DOUBLE TRACK FOR 18mm) light-duty 2 doors 20 sets”

潜艇4号(双轨道25mm)套装







SUBMARINE 4 (DOUBLE TRACK FOR 25mm) COMPLETE SET



产品描述 Product Description	类型 Type	门重(kg) Door Weight (kg)	套装型号 Set Model
2门带阻尼 2 Doors With Damping	轻型 Light-duty	5-15	CJ112160A
	通用型 Normal	15-30	CJ112160B
	重型 Heavy-duty	30-50	CJ112160C
3门带阻尼 3 Doors With Damping	轻型 Light-duty	5-15	CJ112161A
	通用型 Normal	15-30	CJ112161B
	重型 Heavy-duty	30-50	CJ112161C

标准配置

STANDARD CONFIGURATION


配件描述 Fitting Description	2门带阻尼标准配置 2 Doors With Damping	3门带阻尼标准配置 3 Doors With Damping								
上下轮 Upper & Bottom Roller	 CJ212333A	8	12							
缓冲器 Buffer		<table border="1"> <tr> <td>轻型 Light-duty</td> <td>TN223A</td> </tr> <tr> <td>通用型 Normal</td> <td>TN223B</td> </tr> <tr> <td>重型 Heavy-duty</td> <td>TN223C</td> </tr> </table>	轻型 Light-duty	TN223A	通用型 Normal	TN223B	重型 Heavy-duty	TN223C	4	4
轻型 Light-duty	TN223A									
通用型 Normal	TN223B									
重型 Heavy-duty	TN223C									
上轨道(银白) Upper Track (Silver)	 XJA180CB	1条 × 2米/条 1pcs × 2m/pc	1条 × 3米/条 1pcs × 3m/pc							
下轨道(银白) Under Track (Silver)	 XJA181CB	1条 × 2米/条 1pcs × 2m/pc	1条 × 3米/条 1pcs × 3m/pc							
GB/ST4.2 × 16十字槽沉头自攻钉 GB/ST4.2 × 16 Cross Recess Countersunk head Self-drilling Screw		32	48							
2.5毫米内六角扳手 2.5mm Allen Wrench		1	1							

订购说明: 下单时请注明套装型号或详细描述产品名称以及数量, 如“CJ112160A × 20套”或“潜艇4号(双轨道25mm)轻型2门20套”。
Ordering instructions: When place an order, please indicate the suit type or detailed product name and quantity, such as “CJ112160A × 20sets” or “SUBMARINE 4 (DOUBLE TRACK FOR 25mm) light-duty 2 doors 20 sets”


潜艇4号安装参数

SUBMARINE 4 INSTALLATION PARAMETERS


普通单轨
SINGLE TRACK




阻尼单轨01
SINGLE TRACK FOR SOFT CLOSE 01




阻尼单轨02
SINGLE TRACK FOR SOFT CLOSE 02



双轨道18mm
DOUBLE TRACK FOR 18mm





双轨道25mm
DOUBLE TRACK FOR 25mm




潜艇4号安装参数

SUBMARINE 4 INSTALLATION PARAMETERS




普通单轨 SINGLE TRACK




阻尼单轨01 SINGLE TRACK FOR SOFT CLOSE 01

潜艇4号安装参数


SUBMARINE 4 INSTALLATION PARAMETERS



阻尼单轨02 SINGLE TRACK FOR SOFT CLOSE 02



双轨道18mm DOUBLE TRACK FOR 18mm



双轨道25mm DOUBLE TRACK FOR 25mm