



OPIKE

OPIKE hardware fitting for furnishings
residence, all for your life.





Company Profile

Zhongshan OPIKE Hardware Product Co., Ltd was established in 1996. OPIKE is professional in researching, developing, producing and selling household sliding rollers. Our core technical competence is furniture sliding roller, inner door sliding roller, architectural sliding roller and so on. OPIKE's head factory is located in Zhongshan Guangdong China. By now, we have branch companies and offices in Beijing, Shanghai, Chengdu, Chongqing, and Foshan, covering our service system in the main furniture industrial area in China. With good reputation, high quality products and efficient one-stop service, **OPIKE has formed strategic partnership with many famous company inland, be widely recognized as the household sliding system expert of China.**

OPIKE adheres to the concept of professional development. Specializes in household sliding area, and try our best to be more professional, do precisely and fine, and be stronger in this area. **Own hundreds of patents in China and some of them were admmissive in the worldwide.** The OPK brand was registered in hundreds of countries worldwide. **As the leading company in sliding area,** OPIKE always takes products innovation as the essential driving force of corporation development. **In the customizing furniture sliding system, hollow door & windows sliding system, and decorative architectural sliding system, the automatic sliding system, multi-damping sliding system, super-silence sliding system was launched in succession by OPK.** **Adhering to the product innovation concept, we Lead market demand and promote product upgrading all the time. The company has advanced experimental testing center and rigorous product testing standards,** with advanced equipment, good raw materials and scientific technology to ensure the stable quality, do everything we can to provide customers with competitive products and professional unique solutions.

With nearly 50,000 square meters of new plants put into use, four plants and more than one thousand employees, now OPIKE is a manufacture of modernization and production on a big scale. With initiative attitude, we are moving toward a new stage of development. We will always adhere to the business philosophy of honesty, integrity and strict scientific attitude, and keep on creating added value for customers. We are willing to work with all partners in household industry and create a bright future hand by hand.

OPIKE Advantage



► Product Advantage

1. OPIKE hardware fittings use high-quality copper, stainless steel, alloy and other fittings; rollers use high-speed mechanical bearings; the out circle of rollers use nylon and modified nylon material imported from Germany. The selection of high quality raw materials ensures the source of outstanding quality of OPIKE series.
2. OPIKE products, with sophisticated technology from internal structure to surface treatment, guarantee not only the durability, but also the refined, simple and fashionable appearance of products, with texture and meaning.
3. OPIKE products cover a full range of different items; they can provide businesses and consumers with diverse needs. OPIKE is the manufacturing enterprise in this area with the most comprehensive category.

► Technology Advantage

1. OPIKE has the most abundant technical research and development team, from the structural design, mold manufacturing, design and other fields, OPIKE has the best technical talents in this area.
2. OPIKE technology research and development team, based both on the domestic market trend and the European and American currency, arrives the perfect combination of East and West, represents the perfect feature from the design style.
3. OPIKE established a complete project management mechanism for regular innovation, to ensure that OPIKE lead ahead in the area.
4. OPIKE has gained a number of patents.

► Scale Advantage

1. OPIKE has 23 years experience of domestic hardware fitting manufacture, the rich domestic hardware industry experience ensures the leading position of OPIKE in the area.
2. With sound and strong supply chain system to ensure that stability of the upper chain of OPIKE value chain.
3. The large-scale production, which ensures OPIKE strong distribution capacity, can offer customers and consumers products in time.

► Market Advantage

1. The domestic market, with a sound distribution system and offices in Beijing, Shanghai, Nanjing, Chengdu and Zhengzhou, which has opened up a distribution network with more than 1000 branches, is the enterprise with the strongest distribution capacity in the domestic hardware manufacturing area.
2. OPIKE also actively explores the international market. The overseas market sales network covers Europe and America, Southeast Asia and China's Hong Kong, Macao, Taiwan and other places.

Service Advantage

1. The sound and strong distribution system can guarantee OPIKE provide customers around the country perfect services quickly.
2. OPIKE can provide customers and terminal consumers with not only current products, but also personalized ordered products to meet their personalized needs.
3. Professional customer service team can provide customers and terminal consumers not only perfect 360 degree service, but also 361 degree super value service.



Patent–Right Protection, Acting!

► Patented R & D

As the industry's leading enterprise in China, we always adhere to the concept of product development orientation. With enormous human, financial and material resources invested for technical innovation and product upgrading, we constantly introduce new structures, new materials, new technologies, and always commit ourself to technical innovation and achievements transformation. Now we have observed more than 100 national and international patents.

► Specially Commissioned Senior Legal Team For Patent Right Safeguarding

Our specially commissioned senior team engages in patent–right protection activity all year round. According to the investigation, some manufacturers intended to copy our products, such as sliding soft–closing door roller, soft closing hanging roller, visible roller #08, patented adjustable top roller, hanging roller with patented function and adjustable hinges, etc.. All these serious infringements of our rights disturb the market order, and cause serious impact to our technological innovation. Currently more than 10 manufacturers concerned in Kinley Gaoyao, Yanbu Nanhai, Xiaolan Zhongshan and other places were prosecuted because of infringements of our patent rights. The compensation to them is RMB500,000 at least.










► Patent Law

In accordance with the Patent Law of the People's Republic of China, the unauthorized use, sale or manufacturing of patented products is illegal. Any unit or individual who violates the law may be prosecuted as first–mentioned defendant. We strongly request all manufacturers concerned to comply with the law, stop production, sale and use of the patented product. Otherwise, we will take all necessary legal action to safeguard our legitimate rights and interests.

OPIKE

OPIKE HOUSING SLIDING SYSTEM

Product Contents

01	Soft Closing Mechanism	
05	Furniture Sliding Roller Series	
09	Visible Sliding Roller Series	
21	Hardware Fitting Series	
23	Folding Door Fitting Series	
27	Wood Door Hanging & Sliding Roller Series	
32	Glass Door Hanging & Sliding Roller Series	
36	Bottom Guide Series	
37	AL Door Profile Series	



OPK-60232A-F608
Soft Closing Mechanism

50KG



OPK-60232B-F608
Soft Closing Mechanism

50KG






OPK-60470
Soft Closing Mechanism


50KG




OPK-60471
Soft Closing Mechanism

50KG







OPK-60302A-03
Soft Closing Mechanism



OPK-60302B-03
Soft Closing Mechanism





双边阻尼套件



OPK-60765
Soft Closing Mechanism
Bottom Roller: F608 (2 Pcs)

50KG



OPK-60765A
Soft Closing Mechanism
Bottom Roller: G6000 (2 Pcs)

50KG



OPK-60765B
Soft Closing Mechanism
Bottom Roller: G608 (2 Pcs)

50KG

Product Features:

Multi Roller Distance

Four standard roller distances for customer to choose from, 35,36,37.5,39; in the meanwhile, it can meet the 35-40 mm track orbit by automatic adjustment.

Damper

Closed structure protects damper tube from abrasion, reducing sliding noise and strengthening metal cover. Long using life and novel appearance.

Anti-jumping

The buffer has an anti-jumping function that prevents the door from jumping up when closing. Thereby avoiding damage to the upper and lower pulleys, which smooth the door and extend product life.

Stopper adjustable function

The height of upper stopper can be adjusted from 0 to 12 mm, which can achieve the best buffering.

Auto-adjusting

When the upper rail track groove is wider than the fixed track, it automatically adjusts to the upper rail and slides normally without shaking.

For asymmetrical vertical frame





The scale can be adjusted at both ends of the product to achieve 0-10 offset mullion.

Auto-hanging hook function

The elastic movable block can re-implement the buffer function when the unhook issue happens.



Application

Aluminum door, and wooden door, easy installation and adjustment.







OPK-60770A
Soft Closing Mechanism



OPK-60770B
Soft Closing Mechanism




OPK-60687
Soft Closing Mechanism




OPK-60517
Soft Closing Hanging Roller




G/608-6#




F/608-11S




F/608-11D




F608B



Luxury Double Roller




OPK-1#-B05
Furniture Sliding Bottom Roller







OPK-14#
Up Roller




G606 Bottom Double Roller




OPK-ZJ-B01
General Up Roller




OPK-ZJ-B02
Patented Adjustable Up Roller



OPK-ZJ-B03
Manual-adjustable Up Roller




OPK-ZJ-B04
Auto-adjustable Up Roller







OPK-ZJ-11D
Anisomorous Up Roller




OPK-ZJ-11S
Up Roller




OPK-6#
Up Roller




OPK-13#
Up Roller




OPK-ZJ-B01
B Style Up Roller (G695)




OPK-ZJ-B05
B Style Anti-off Up Roller









Cfd-436 Glass Sliding Door With Frame



Cfd-436 Glass Sliding Door Without Frame




CFD-436 Sliding Furniture Glass Door Roller

Main Material: Premium Bearing、Steel、Nylon
Finish: Silver with Sand Blast
Weight Capacity: 10 kgs/Door
Standard Packing: 1000 Pairs/Cartron


CFG-790-01 Bottom Track	CFG-790-02 Bottom Door Frame(5mm)	CFG-790-04 Up Track(5-8mm)
CFG-790-05 Vertical Door Frame(5mm)	CFG-790-09 (CFG-05, CFG-06, Anti-collision Strip For Vertical Frame)	CFG-790-10 (CFG-03, 5mm Glass Rubber)
CFD-436 Up Roller	CFD-436 Bottom Roller	CFD-436A
		CFD-436B




OPK-MLP-06




50KG



OPK-MLP-10A



50KG






OPK-MLP-03B



OPK-789-01



OPK-789-02




OPK-01219A



OPK-789-01



OPK-789-02




OPK-01260




OPK-789-01



OPK-789-02







OPK-01238



OPK-F01-04



OPK-F01-05






OPK-01237





OPK-805-01



OPK-789-02



OPK-01231







OPK-01239



OPK-F01-04






OPK-F01-05



OPK-01343

Visible Sliding Roller Damper



OPK-F01-04



OPK-F01-05






OPK-01236



OPK-783-01







OPK-784-02



OPK-01341

Visible Sliding Roller Damper



OPK-783-01



OPK-784-02







OPK-01245



OPK-F01-04







OPK-F01-05



OPK-01344

Visible Sliding Roller Damper



OPK-789-01



OPK-789-02






OPK-CQ-009



OPK-813-01



OPK-813-02



OPK-CQ-019AB



OPK-CQ-019BC



OPK-MLP-08-01



OPK-MLP-08-02







OPK-20106



OPK-789-01



OPK-789-02



OPK-2-8




OPK-784-01



OPK-784-02



CFD-447
Sliding Furniture Door Roller






OPK-01225



OPK-800



OPK-784-02



OPK-01222



OPK-800




OPK-01223




OPK-01224




OPK-01226



OPK-30143
Top Hang System-Inner Door



OPK-30144
Top Hang System-Outer Door





OPK-787-01




OPK-787-02




787-02







CFD-445A
Top Hang System–Inner Door With Soft Close




CFD-446A
Top Hang System–outer Door With Soft Close





1 Installation size requirement



Up track
OPK-787-01




Bottom track
OPK-787-02






2 Fix hardware fittings for outer door

1. Fix the up roller




2. Fix the bottom roller




3 Fix hardware fittings for inner door


1. Fix the up roller



2. Fix the bottom roller




4 Install the door




5 Adjust the door height and levelness

Outer door


Inner door




6 Install and adjust the damper position



7 Adjust the soft close stopper height




8 Diagram of installation direction






OPK-60227
Metal Stopper



OPK-60228
Metal Stopper




OPK-60229
Metal Stopper
(specifications 6.5x92.5x2mm)




OPK-60230
Metal Stopper
(specifications 6.5x92.5x3mm)



Glass Rubber



Weatherstrip Clip




OPK-60231
Metal Stopper
(specifications 5.8x92.5x3mm)




Weatherstrip





OPK-20010-08
Corner Connector




OPK-20010-09
Corner Connector



OPK-20010-10
Corner Connector



E-shape Anti-collision Strip



OPK-60001
Up Roller Fitting



OPK-60002
Roller Fitting




OPK-60003
Folding Door Hinge




OPK-60004
Folding Door Hinge Fitting




OPK-60005
Hole Mould




OPK-60006
Handle





OPK-60007
A: Big Folding Door Joint
B: Small Folding Door Joint
C: Mid Door Frame Joint





OPK-015-01
Folding Door Out Frame



OPK-015-02
Folding Door Mid Frame




OPK-015-03
Folding Door
Up Sliding Track




OPK-015-04
Folding Door
Bottom Sliding Track







Folding Door Installation Sizes & Right View




1. Hinge Hole Sizes And Situations




2. Hinge Connecting



3. Hinge & Flush Bolt Installation




4. Put The Up Roller Into Up Sliding Track




5. Push Up Roller Guide, Make Up Roller Into Up Sliding Track




CFC-321
Sliding Folding Door Hanging Roller



CFC-326
Universal Folding Door Hanging Roller Series








CFC-337
Sliding Folding Door Hanging Roller





CFC-329



Multi-Panel Universal Folding Door Roller



**Rail Connector
for Guide CFG-770**


Track junction port description


OPK has L, T, +, and X type junction port, you can select the port according to the requirements. The track is made of T5 anodized aluminum alloy, the normal service life is more than 10 years. OPK hanging sliding roller is more worthy of your trust and use.



CFC-330

Multi-Panel Universal
Folding Door Roller






OPK-3-7B



OPK-3-7C




OPK-774-01



OPK-774-03




OPK-778




CFA-120

Sliding Steel-Wood-Composite Door Hanging Roller





CFA-115
Sliding Steel-Wood-Composite Door Hanging Roller



CFA-117
Sliding Wood Door Hanging Roller




CFA-119
Sliding Wood Door Hanging Roller





CFA-170
Sliding Wood Door Hanging Roller



CFA-170A
Sliding Door Hanging Roller With Double Damper






Damper Top Wheel Fittings (2 Pieces)	Top Wheel Fittings (2 Pieces)	Stopper (2 Pieces)	Bottom Stopper (2 Pieces)
Wire Adjuster (1 Piece)	Steel Wire Fixer (1 Piece)	Wire Wrapping Component (2 Pieces)	Steel Wire (8.5 M)

CFA-171 Simultaneous Wood Door Hanging & Sliding Roller With Damper

80KG






Damper Top Wheel Fittings (2 Pieces)		Top Wheel Fittings (2 Pieces)		Stopper (2 Pieces)		Fixed Top Stopper (2 Pieces)	
Fixed Bottom Stopper (2 Pieces)		Bottom Stopper (1 Pieces)		Bottom Stopper (1 Piece)		Wire Wrapping Component 1 (1 Piece)	
U Shape Wire Fixing Board (1 Piece)		Steel Wire Connector (4 Pieces)		Steel Wire (3m)		Wire Wrapping Component 2 (2 Pieces)	

CFA-172A

Synchronized With The Linkage Wood Door Hanging & Sliding Roller With Damper (2+1)



80KG



OPK-005

AL Hanging & Sliding Roller Fitting


80KG




OPK-LT-03

Furniture AL Hanging & Sliding Roller Fitting


70KG





OPK-3-8K
Sliding Glass Door Roller Fitting

120KG



OPK-764







Damper Top Wheel Fittings (2 Pieces)		Top Wheel Fittings (4 Pieces)		Glass Clip (8 Pieces)	Stopper (2 Pieces)	Fixed Top Stopper (2 Pieces)
Fixed Bottom Stopper (2 Pieces)	Bottom Stopper (2 Pieces)	Bottom Stopper (1 Piece)	Decorative Cover For Glass Clip (8 Pieces)		Wire Wrapping Component 1 (1 Piece)	Wire Wrapping Component 2 (2 Pieces)
Wire Wrapping Component 3 (2 Pieces)	U Shape Wire Fixing Board (1 Piece)	Steel Wire Connector (4 Pieces)	Steel Wire (3mx2)			


CFB-293

Synchronized With The Linkage Glass Door Hanging & Sliding Roller With Damper (3+1)


80KG



1. Install Upper Roller And Stopper




2. install upper track and bottom stopper







3. Install Glass Clip




4. Wire Wrapping Component Installation




5. Bottom Stopper Connector Installation



6. Hang Up The Door Panel




7. U Shape Wire Fixing Board Installation






8. Around The Steel Wire




Steel Wire Connection Method:

- 1、align With Three Movable Doors;
- 2、put The Steel Wire Connector To Icon Location Then,
Fix The Steel Wire.(open The Door, So That Wire
Connector Stay In The Specify The Location)




9. Fixed All Steel Wire Connector


Lock Screw From The Front Side




Lock Screw From The Side




10. align with the door panel



11. Door Fixation




12. Installation Finish






CFH-871
Wood Door Bottom Guide
Roller Diameter: 12mm



CFH-872
Wood Door Bottom Guide
Roller Diameter: 13mm




CFH-873
Wood Door Bottom Guide
Roller Diameter: 12mm




CFH-874
Wood Door Bottom Guide
Roller Diameter: 13mm




CFH-875
Wood Door Bottom Guide
Roller Diameter: 18.2mm




CFH-876
Wood Door Bottom Guide
Roller Diameter: 24.3mm




CFH-877
Wood Door Bottom Guide
Roller Diameter: 12.9mm



CFH-878
Wood Door Bottom Guide
Roller Diameter: 12.9mm




CFH-879
Wood Door Bottom Guide
Roller Diameter: 13mm





CFH-880
Wood Door Bottom Guide
Roller Diameter: 12.9mm



CFH-881
Glass Door Bottom Guide
Glass thickness: 8-12mm




CFH-882
Wood Door Bottom Guide




CFH-88
Glass Door Bottom Guide
Glass thickness: 6-10mm




CFH-884
Glass Door Bottom Guide
Glass thickness: 8-12mm




CFH-885
Glass Door Bottom Guide
Glass thickness: 6-10mm




CFH-886
Folding Door Bottom Guide





CFH-887
Folding Door Bottom Guide







CFG-761

Color: Champagne / Silver





CFG-762

Color: Champagne / Silver





CFG-765-01, CFG-765-02

Color: Champagne / Silver





CFG-768

Color: Silver





CFG-776

Color: Silver





CFG-778

Color: Silver





CFG-780

Color: Champagne / Silver





CFG-781-01

Color: Champagne / Silver





CFG-782-01

Color: Silver





CFG-782-02

Color: Silver



CFG-783-01


Color: Silver





CFG-784-01

Color: Silver









CFG-784-02
Color: Silver





CFG-801 银白
Color: Silver





CFG-810
Color: Champagne / Silver





CFG-813-01
Color: Champagne / Silver





CFG-813-02
Color: Champagne / Silver





CFG-787-01
Color: Champagne / Silver




CFG-787-02
Color: Champagne / Silver




CFG-789-01
Color: Champagne / Silver




CFG-789-02
Color: Champagne / Silver






CFG-790


Color: Champagne / Silver



CFG-790-01



CFG-790-02



CFG-790-04



CFG-790-05



CFG-790-09-1



CFG-790-10





CFG-800

Color: Champagne / Silver





CFG-805-01

Color: Champagne / Silver



CFG-805-02

Color: Champagne / Silver




CFG-811 香槟/银白

Color: Champagne / Silver






DD003




OPK-F01-02 Vertical Door Frame
0.50kg/m $\delta = 1.5\text{mm}$



OPK-F01-01 Vertical Door Frame
0.47kg/m $\delta = 1.0\text{mm}$




OPK-F01-07 Bottom Door Frame
0.56kg/m $\delta = 1.2\text{mm}$




OPK-F01-03 Upper Door Frame
0.33kg/m $\delta = 1.1\text{mm}$



LT E047 Up Track
0.6kg/m $\delta = 1.0\text{mm}$



LT E046 Bottom Track
0.3kg/m $\delta = 1.0\text{mm}$



LT F074 Clipping Strip
0.18kg/m $\delta = 0.9\text{mm}$




Decoration: OD-E05




OD-E22




M02
200MM Density Fiberboard



DX004



LD5 A172 Vertical Door Frame
0.37kg/m $\delta = 1.2\text{mm}$




LD5 A179 Vertical Door Frame
0.35kg/m $\delta = 1.2\text{mm}$




LD5 B091 Upper&Bottom Door Frame
0.093kg/m $\delta = 1.5\text{mm}$




LD5 C066 Middle Door Frame
0.19kg/m $\delta = 1.2\text{mm}$



LD5 C070 Middle Door Frame
0.22kg/m $\delta = 1.2\text{mm}$



LT E047 Up Track
0.6kg/m $\delta = 1.0\text{mm}$




LT E046 Bottom Track
0.3kg/m $\delta = 1.0\text{mm}$




18MM Blister Board



DG006



LD3 A156 Vertical Door Frame
0.54kg/m $\delta = 1.3\text{mm}$



LD3 D031 Bottom Door Frame
0.62kg/m $\delta = 1.1\text{mm}$




LD3 B082 Upper Door Frame
0.29kg/m $\delta = 1.1\text{mm}$




OD-C10




Waistline Engraving: Y27



LD3 C054 Middle Door Frame
0.39kg/m $\delta = 1.1\text{mm}$



LT E047 Up Track
0.6kg/m $\delta = 1.0\text{mm}$



LT E046 Bottom Track
0.3kg/m $\delta = 1.0\text{mm}$



18MM Density Fiberboard



YX25
13MM Decoration Strip (Black Gold)



OPIKE HOME DECORATION & HARDWARE

OPIKE hardware fitting for furnishings residence, all for your life.

OPIKE HARDWARE PRODUCT CO., LTD.

Add: No.11, Ruihe Road, Luosha, Xiaolan Town,
Zhongshan City, 528415 Guangdong, China

Tel: +86-760-22256657

Fax: +86-760-22279177 22262998

Web: www.opk.cc www.opike.cc

<http://eraah.en.alibaba.com>

E-Mail: opk@opk.cc