


opk PERFECT 3 DOORS

Content

opk PERFECT 3 DOORS	45-66
Technical Drawing	45-46
FG Fitting Configuration	49-50
W/FW/FD Fitting Configuration	53-54
Track Configuration	55-56
Door Frame Configuration	57-58
Tracks, Accessories	59-60
Door, Accessories	61-66




opk PERFECT FG 3 DOORS






	Door weight	Door width	Door thickness	Glass thickness
FG	≤60	≥600	40	8-11

Technical Drawing


SURFACE MOUNTING



CONCEALED MOUNTING




opk PERFECT W/FW/FD 3 DOORS






	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤60	≥600	45	-
FW	≤60	≥600	46.5	5
FD	≤60	≥600	46.5	5

Technical Drawing

SURFACE MOUNTING




CONCEALED MOUNTING





opk PERFECT FG 3 DOORS

Left Opening Stacking Door



Fitting Configuration




Three
Stacking
Doors 2+1
Stacking
Doors 3+0
Stacking
Doors

Single Door Set		CA420001-012	2	1	1
Left Opening Middle Door Set		CA420012-123	1	1	0
Left Opening Multi-Door Set		CA420012-120	0	0	2
Fixed Door Set		CA420011-011	0	1	0
Bottom Fixing Part		-----	0	1	1

opk PERFECT FG 3 DOORS

Right Opening Stacking Door



Fitting Configuration



Three
Stacking
Doors 2+1
Stacking
Doors 3+0
Stacking
Doors


Single Door Set		CA420001-012	2	1	1
Right Opening Middle Door Set		CA420012-122	1	1	0
Right Opening Multi-Door Set		CA420012-119	0	0	2
Fixed Door Set		CA420011-011	0	1	0
Bottom Fixing Part		-----	0	1	1



opk PERFECT W/FW/FD
3 DOORS

Left Opening Stacking Door

Fitting Configuration




Single Door Set		CA420001-011	2	1	1
Left Opening Middle Door Set		-----	1	1	0
Left Opening Multi-Door Set		CA420012-027	0	0	2
Fixed Door Set		CA420011-011	0	1	0
Bottom Fixing Part		-----	0	1	1

opk PERFECT W/FW/FD
3 DOORS

Right Opening Stacking Door

Fitting Configuration



Single Door Set		CA420001-011	2	1	1
Right Opening Middle Door Set		-----	1	1	0
Right Opening Multi-Door Set		-----	0	0	2
Fixed Door Set		CA420011-011	0	1	0
Bottom Fixing Part		-----	0	1	1

opk PERFECT FG 3 DOORS



SURFACE MOUNTING

Track Configuration

Three
Stacking
Doors

2+1
Stacking
Doors

3+0
Stacking
Doors

Track Kit Single Door		2500mm	CN122877E	1	1	1
		3000mm	CN122877A			
		4000mm	CN122877C			
		6000mm	CN122877B			
Track Kit Middle Door		2500mm	CN122878E	2	2	2
		3000mm	CN122878A			
		4000mm	CN122878C			
		6000mm	CN122878B			

opk PERFECT W/FW/FD
3 DOORS



SURFACE MOUNTING

Track Configuration

Three
Stacking
Doors

2+1
Stacking
Doors

3+0
Stacking
Doors

Track Kit Single Door		2500mm	CN122877E	1	1	1
		3000mm	CN122877A			
		4000mm	CN122877C			
		6000mm	CN122877B			
Track Kit Middle Door		2500mm	-----	2	2	2
		3000mm	CN123191A			
		4000mm	CN123191B			
		6000mm	CN123191C			

CONCEALED MOUNTING

Track Configuration

Three
Stacking
Doors

2+1
Stacking
Doors

3+0
Stacking
Doors

Track Kit Single Door		2500mm	CN123493A	1	1	1
		3000mm	CN123493B			
		4000mm	CN123493C			
		6000mm	CN12349D			
Track Kit Middle Door		2500mm	CN122878E	2	2	2
		3000mm	CN122878A			
		4000mm	CN122878C			
		6000mm	CN122878B			

CONCEALED MOUNTING

Track Configuration

Three
Stacking
Doors

2+1
Stacking
Doors

3+0
Stacking
Doors

Track Kit Single Door		2500mm	CN123493A	1	1	1
		3000mm	CN123493B			
		4000mm	CN123493C			
		6000mm	CN12349D			
Track Kit Middle Door		2500mm	-----	2	2	2
		3000mm	CN123191A			
		4000mm	CN123191B			
		6000mm	CN123191C			

opk PERFECT FG 3 DOORS



Door Frame Configuration		Three Stacking Doors 2+1 Stacking Doors 3+0 Stacking Doors				
Door Kit Side Door		3000mm	CN122881A	2	2	2
Door Kit Middle Door		3000mm	CN122882A	1	1	1

opk PERFECT W 3 DOORS



Door Frame Configuration		Three Stacking Doors 2+1 Stacking Doors 3+0 Stacking Doors				
1.5 Meter Wooden Door Profile Kit		1500mm	CA420024-012	3	3	3

opk PERFECT FW 3 DOORS



Door Frame Configuration		Three Stacking Doors 2+1 Stacking Doors 3+0 Stacking Doors				
Door Kit Side Door		3000mm	CN123527A	2	2	2
Door Kit Middle Door		3000mm	CN123525A	1	1	1

opk PERFECT FD 3 DOORS



Door Frame Configuration		Three Stacking Doors 2+1 Stacking Doors 3+0 Stacking Doors				
Door Kit Side Door		3000mm	CN123524A	2	2	2
Door Kit Middle Door		3000mm	CN123522A	1	1	1








opk PERFECT 3 DOORS



SURFACE MOUNTING

Tracks, Accessories



OR	Upper Track		Anodized aluminium	6000mm	OPK-A101
	Track Bottom Cover--Middle (40 Door Thickness)		Anodized aluminium	6000mm	OPK-A309-40
	Track Bottom Cover--Middle (45 Door Thickness)		Anodized aluminium	6000mm	OPK-A314-45
	Track Bottom Cover--Side (40 & 45 Door Thickness)		Anodized aluminium	6000mm	OPK-A310
OR	Track Cover For Surface Mounting		Anodized aluminium	6000mm	OPK-A321
	Track Shock-Absorption Rubber Strip		Rubber	600m/Roll	OPK-A404
	Track Cover Clip		Plastic	1pc Every 300mm	OPK-A502
	Plastic Track-Gap Clip (40 Door Thickness)		Plastic	1pc Every 300mm	P0191-025
OR	Plastic Track-Gap Clip (45 Door Thickness)		Plastic	1pc Every 300mm	P0191-057






opk PERFECT 3 DOORS



CONCEALED MOUNTING








Tracks, Accessories



OR	Upper Track		Anodized aluminium	6000mm	OPK-A101
	Track Bottom Cover--Middle (40 Door Thickness)		Anodized aluminium	6000mm	OPK-A309-40
	Track Bottom Cover--Middle (45 Door Thickness)		Anodized aluminium	6000mm	OPK-A314-45
	Track Cover For Concealed Mounting		Anodized aluminium	6000mm	OPK-A366
OR	Track Shock-Absorption Rubber Strip		Rubber	600m/Roll	OPK-A404
	Track Cover Clip		Plastic	1pc Every 300mm	OPK-A502
	Plastic Track-Gap Clip (40 Door Thickness)		Plastic	1pc Every 300mm	P0191-025
	Plastic Track-Gap Clip (45 Door Thickness)		Plastic	1pc Every 300mm	P0191-057

opk PERFECT FG 3 DOORS

Door, Accessories

Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A201-40
Internal Vertical Frame		Anodized aluminium	6000mm	OPK-A202-40
Vertical Frame		Anodized aluminium	6000mm	OPK-A203-40
External Vertical Frame With Slot		Anodized aluminium	6000mm	OPK-A204-40
Rubber Strip For 8 mm Glass		PVC	3500mm	OPK-A408
Rubber Strip For 9 mm Glass		PVC	3500mm	OPK-A409
Rubber Strip For 10 mm Glass		PVC	3500mm	OPK-A410
Weather-Strip		-	500m/Roll	OPK-A403
Internal Hexagon Self-Tapping Screw - M4X18		Nickel Plated	-	OPK-A553

ASSEMBLY KIT

COMPLICATED?



THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drilling pattern to set the drilling points in the profiles.
04. Drill to make the holes in the profiles.

opk PERFECT W 3 DOORS

Door, Accessories






Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A248-35
Self-Tapping Screw - ST4*50		Nickel Plated	-	105605
Wooden Door End Cap		POM	-	TN1577A

opk PERFECT FW 3 DOORS



Door, Accessories



Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A276-46
Vertical Frame		Anodized aluminium	6000mm	OPK-A2101-46
Vertical Frame Cover With Slot		Anodized aluminium	6000mm	OPK-A2123-45
Vertical Frame Cover		Anodized aluminium	6000mm	OPK-A2102-46
Vertical Frame Accessories		Anodized aluminium	6000mm	OPK-A278-46
Weather-Strip		-	500m/Roll	OPK-A403

opk PERFECT FW 3 DOORS



Door, Accessories



Internal Hexagon Self-Tapping Screw - M4X18	 16 pcs Each Door	Nickel Plated	-	OPK-A553
1.8x3.3 Rubber Strip		Rubber	2000m/Roll	OPK-A402

ASSEMBLY KIT
COMPLICATED?
THAT WAS YESTERDAY.








01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drill to make the holes in the profiles.

opk PERFECT **FD 3 DOORS**



Door, Accessories



Up/Bottom Frame		Anodized aluminium	6000mm	OPK-A276-46
Vertical Frame		Anodized aluminium	6000mm	OPK-A2122-45
Vertical Frame Cover With Slot		Anodized aluminium	6000mm	OPK-A2123-45
Vertical Frame Cover		Anodized aluminium	6000mm	OPK-A2102-46
Vertical Frame Decorative Strip		Anodized aluminium	6000mm	OPK-A286-46
6x20mm Alu-tube for Desiccant		Anodized aluminium	6000mm	OPK-A437
Weather-Strip		-	500m/Roll	OPK-A403

opk PERFECT **FD 3 DOORS**



Door, Accessories



Internal Hexagon Self-Tapping Screw - M4X18	 8 pcs Each Door	Nickel Plated	-	OPK-A553
1.8x3.3 Rubber Strip		Rubber	2000m/Roll	OPK-A402

ASSEMBLY KIT
COMPLICATED?
THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drill to make the holes in the profiles.