

# opk SUBMARINE S



max. 1200mm



max. 1500mm



15-30mm



± 2mm






Möbel Systeme  
Furniture systems

# opk Submarine S




## Technische Zeichnung Technical drawing



## Regalboden 18/19mm Cabinet Panel 18/19mm



### M1. Halb überlappend Half overlay



### M2. Voll überlappend Full overlay





# opk Submarine S



**18/19mm Regalboden**  
18/19mm Cabinet Panel



Art.-Nr./No.

		≤15	500~1500	≤1200	01-451-002-400
		≤30			01-451-002-430

## Konfiguration für 1 Tür

Configuration for 1 door




<b>Laufwerk/Führung</b> <i>Running/Guiding part</i>		4
<b>Dämpfer</b> <i>Damper</i>		2
<b>Distanzhalter</b> <i>Distance holder</i>		8
<b>Stopper 18mm</b> <i>Stopper 18mm</i>		4
<b>Schienenbefestigungsplatte 18mm</b> <i>Track connection 18mm</i>		16
<b>Schienenabdeckungskappe 18mm</b> <i>Track plug 18mm</i>		4
<b>Bohrmuster 18mm</b> <i>Drilling pattern 18mm</i>		1
<b>ST4.2x16 Senkkopfschraube mit Kreuzschlitz</b> <i>ST4.2x16 Cross recess countersunk head self-drilling screw</i>		64
<b>sw 2mm Innensechskant</b> <i>sw 2mm hex key</i>		1



# opk Submarine S




## Technische Zeichnung Technical drawing





## Regalboden 25mm Cabinet Panel 25mm



### M1. Halb überlappend Half overlay



### M2. Voll überlappend Full overlay



# opk Submarine S



**25mm Regalboden**  
25mm Cabinet Panel



Art.-Nr./No.

		≤15	500~1500	≤1200	01-451-002-500
		≤30			01-451-002-530

## Konfiguration für 1 Tür

Configuration for 1 door



<b>Laufwerk/Führung</b> <i>Running/Guiding part</i>		4
<b>Dämpfer</b> <i>Damper</i>		2
<b>Distanzhalter</b> <i>Distance holder</i>		8
<b>Stopper 25mm</b> <i>Stopper 25mm</i>		4
<b>Schienenbefestigungsplatte 25mm</b> <i>Track connection 25mm</i>		16
<b>Schienenabdeckungskappe 25mm</b> <i>Track plug 25mm</i>		4
<b>Bohrmuster 25mm</b> <i>Drilling pattern 25mm</i>		1
<b>ST4.2x16 Senkkopfschraube mit Kreuzschlitz</b> <i>ST4.2x16 Cross recess countersunk head self-drilling screw</i>		64
<b>sw 2mm Innensechskant</b> <i>sw 2mm hex key</i>		1

# opk Submarine S



## Schienen, Zubehör

Tracks, Accessories

Produktbeschreibung <i>Description</i>		Material <i>Material</i>	Farbe <i>Finish</i>	Länge <i>Length (mm)</i>	Art.-Nr./No.
<b>Laufschiene 18/19mm Regalboden</b> <i>Running track 18/19mm Cabinet Panel</i>		<b>Aluminium eloxiert</b> <i>Anodized aluminium</i>	<b>Silber</b> <i>Silver</i>	2500	01-456-250-425
				3500	01-456-250-435
				5800	01-456-250-458
<b>Laufschiene 25mm Regalboden</b> <i>Running track 25mm Cabinet Panel</i>		<b>Aluminium eloxiert</b> <i>Anodized aluminium</i>	<b>Silber</b> <i>Silver</i>	2500	01-456-250-525
				3500	01-456-250-535
				5800	01-456-250-558
<b>Blende</b> <i>Decorative profile</i>		<b>Aluminium eloxiert</b> <i>Anodized aluminium</i>	<b>Silber</b> <i>Silver</i>	2500	01-458-250-025